

KNOW YOUR BALLS... CHECK 'EM OUT!

Understanding Testicular Cancer

Questionnaire

Name:

Q1. Are men aged 15-45 or 65-85 more likely to get testicular cancer?

- A. 15-45 C. neither
 B. 68-85 D. both

Q2. Is testicular cancer becoming more or less common?

- A. more C. neither
 B. less D. it doesn't matter, it won't affect me

Q3. Are prosthetic balls safe?

- A. yes C. don't know
 B. no

Q4. What's the most common symptom of testicular cancer?

- A. a lump in the balls C. a headache
 B. an ache in the balls D. there are no symptoms

Q5. Are the brothers of men with testicular cancer more or less at risk themselves?

- A. more C. neither
 B. less D. don't know

Q6. How often should men check their balls for lumps?

- A. once a day C. once a year
 B. once a month D. never

Q7. What percentage of men with testicular cancer survive?

- A. 1% C. 95%
 B. 50% D. 100%

Q8. How quickly will the GP send me to the hospital?

- A. within two weeks C. within six weeks
 B. within a month D. within a year

Q9. Does having a mobile phone raise my chances of getting cancer?

- A. yes C. we don't know
 B. no

Q10. Does a healthy lifestyle affect cancer?

- A. no C. yes
 B. we don't know